

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 1.02 Revision date 04/01/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	TERGO™ PF100-IPA HIGH PURITY IONIC & STATIC REMOVER
Product Code(s)	MCC-TPF100IPAD, MCC-TPF100IPAP, MCC-TPF100IPAG, MCC-TPF100IPAGL
Safety data sheet number	BULK-TPF100IPA
Unique Formula Identifier (UFI)	UM30-D0JR-C00M-MS49
Pure substance/mixture	Mixture
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use	Cleaning agent
Uses advised against	No information available
1.3. Details of the supplier of the sa	fety data sheet
Manufacturer MicroCare UK Ltd Unit 4, Whitehall Court Leeds LS12 5SN United Kingdom Tel: +44 (0) 113 3609019 Email: MCCEurope@MicroCare.com For further information, please contact	
Contact Point	el: +44 (0) 113 3609019
E-mail address	mcceurope@microcare.com
1.4. Emergency telephone number Emergency Telephone	- INFOTRAC +44 330 027 0156 (UK) 1-352-323-3500 (from anywhere in the world)
Emergency Telephone	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

ł	Regulation		. 12/2/2000		
I	Specific ta	arget org	an toxicity	— sing	le exposure

Category 3 - (H336)

Category 3 Narcotic effects

2.2. Label elements



Signal word Warning Hazard statements H336 - May cause drowsiness or dizziness EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 - Use only outdoors or in a well-ventilated area.
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 - Call a POISON CENTER or doctor if you feel unwell.
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
P501 - Dispose of contents/ container to an approved waste disposal plant.

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

No information available.

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1SubstancesNot applicable3.2Mixtures

Chemical name	Weight-%	REACH registration		Classification according		M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.			(long-term)
				1272/2008 [CLP]	limit (SCL)		
1,1,2,2-Tetrafluoroet	50 -	01-0000019451-74-00	459-330-2	STOT SE 3 (H336)	-	-	-
hyl-2,2,2-trifluoroeth	<100%	00					
yl ether							
406-78-0							
PROPAN-2-OL	2.5 - <5%	01-2119457558-25-00	(603-117-00	Eye Irrit. 2 (H319)	-	-	-
67-63-0		00	-0)	STOT SE 3 (H336)			
			200-661-7	Flam. Liq. 2 (H225)			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4 Inhalation LC50 - 4		Inhalation LC50 - 4	
		mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm	
PROPAN-2-OL 67-63-0	1870	4059	No data available	30.1002	No data available	

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures						
4.1. Description of first aid n	neasures					
General advice	Show this safety data sheet to the doctor in attendance.					
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.					
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.					
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.					
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a doctor.					
4.2. Most important symptor	ns and effects, both acute and delayed					
Symptoms	Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.					
Effects of Exposure	None.					
4.3. Indication of any immediate medical attention and special treatment needed						

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Large Fire CAUTION: Use of water spray when fighting fire may be inefficient. Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams. 5.2. Special hazards arising from the substance or mixture Specific hazards arising from the No information available. chemical Carbon monoxide. Carbon dioxide (CO2). Hydrogen fluoride. Hazardous combustion products 5.3. Advice for firefighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Special protective equipment and precautions for fire-fighters Use personal protection equipment.

Revision date 04/01/2024

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures						
Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.					
Other information	Refer to protective measures listed in Sections 7 and 8.					
For emergency responders	Use personal protection recommended in Section 8.					
6.2. Environmental precautions Environmental precautions	See Section 12 for additional Ecological Information.					
6.3. Methods and material for contai	nment and cleaning up					
Methods for containment	Prevent further leakage or spillage if safe to do so.					
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.					
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.					
6.4. Reference to other sections Reference to other sections	See section 8 for more information. See section 13 for more information.					

SECTION 7: Handling and storage

7.1. Precautions for safe handling Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid breathing vapours or mists. In case of insufficient ventilation, wear suitable respiratory equipment.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, inc Storage Conditions	<u>eluding any incompatibilities</u> Keep container tightly closed in a dry and well-ventilated place.
Storage class (TRGS 510)	LGK 10.
<u>7.3. Specific end use(s)</u> Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure L	imits
------------	-------

Chemical name	Supplier OEL
1,1,2,2-Tetrafluoroethyl-2,2,2-trifluoroethyl ether	TWA: 50 ppm
406-78-0	

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
PROPAN-2-OL	-	TWA: 200 ppm	TWA: 200 ppm	STEL: 1225.0 mg/m ³	TWA: 400 ppm
67-63-0		TWA: 500 mg/m ³	TWA: 500 mg/m ³	TWA: 980.0 mg/m ³	TWA: 999 mg/m ³

		STEL 800 ppm	STEL: 400 ppm			STEL: 500 ppm
		STEL 2000 mg/m ³	STEL: 1000 mg/m ³			STEL: 1250 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Es	stonia	Finland
PROPAN-2-OL	-	TWA: 500 mg/m ³	TWA: 200 ppm	TWA:	150 ppm	TWA: 200 ppm
67-63-0		Ceiling: 1000 mg/m ³			850 mg/m³	TWA: 500 mg/m ³
		D*	STEL: 400 ppm	STEL: 250 ppm		STEL: 250 ppm
			STEL: 980 mg/m ³	STEL: 6	600 mg/m ³	STEL: 620 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG		eece	Hungary
PROPAN-2-OL	STEL: 400 ppm	TWA: 200 ppm	TWA: 200 ppm		400 ppm	TWA: 500 mg/m ³
67-63-0	STEL: 980 mg/m ³	TWA: 500 mg/m ³	TWA: 500 mg/m ³		980 mg/m³	TWA: 200 ppm
			Peak: 400 ppm		500 ppm	STEL: 1000 mg/m ³
			Peak: 1000 mg/m ³	STEL: 1	225 mg/m ³	STEL: 400 ppm
						b*
Chemical name	Ireland	Italy MDLPS	Italy AIDII		atvia	Lithuania
PROPAN-2-OL	TWA: 200 ppm	-	TWA: 200 ppm	TWA: 350 mg/m ³		TWA: 150 ppm
67-63-0	STEL: 400 ppm		TWA: 492 mg/m ³	STEL: 600 mg/m ³		TWA: 350 mg/m ³
	Sk*		STEL: 400 ppm			STEL: 250 ppm
			STEL: 983 mg/m ³			STEL: 600 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	-	orway	Poland
PROPAN-2-OL	-	-	-		100 ppm	STEL: 1200 mg/m ³
67-63-0					245 mg/m ³	TWA: 900 mg/m ³
					150 ppm	skóra*
)6.25 mg/m ³	
Chemical name	Portugal	Romania	Slovakia		venia	Spain
PROPAN-2-OL	TWA: 200 ppm	TWA: 81 ppm	TWA: 200 ppm		200 ppm	TWA: 200 ppm
67-63-0	STEL: 400 ppm	TWA: 200 mg/m ³	TWA: 500 mg/m ³	TWA: 500 mg/m ³		TWA: 500 mg/m ³
		STEL: 203 ppm	Ceiling: 1000 mg/m ³	STEL: 400 ppm STEL: 1000 mg/m ³		STEL: 400 ppm
Chamical name		STEL: 500 mg/m ³	Switzarland	SIEL. I	<u> </u>	STEL: 1000 mg/m ³
Chemical name PROPAN-2-OL	-	weden			ted Kingdom	
67-63-0		150 ppm	TWA: 200 ppm			/A: 400 ppm
67-63-0		350 mg/m ³ KGV: 250 ppm	TWA: 500 mg/m STEL: 400 ppm			A: 999 mg/m ³ EL: 500 ppm
		KGV: 250 ppm KGV: 600 mg/m ³			_: 1250 mg/m ³	
Vagiedande				II.		1230 mg/m²

Biological occupational exposure limits

mmus							
Chemical name	European Union	Austria	Bulg	aria	Croatia		Czech Republic
PROPAN-2-OL	-	-	-	•	50 mg/L - bloo	bd	-
67-63-0					(Acetone) - at	the	
					end of the work	shift	
					50 mg/L - urir		
					(Acetone) - at	the	
					end of the work	shift	
Chemical name	Denmark	Finland	Fra	nce	Germany DF	G	Germany TRGS
PROPAN-2-OL	-	-	-		25 mg/L (who	le	25 mg/L (whole
67-63-0					blood - Acetone	end	blood - Acetone end
					of shift)		of shift)
							25 mg/L (urine -
							Acetone end of shift)
					25 mg/L - BAT (•	
					of exposure or		
					of shift) urine		
					25 mg/L - BAT (•	
					of exposure or		
					of shift) bloo	d	
Chemical name	Hungary	Irelar	-	Italy	/ MDLPS		Italy AIDII
PROPAN-2-OL	-	40 mg/L (urine	- Acetone			40 mg	g/L - urine (Acetone)

67-63-0		end of shift at end of workweek)		- end of shift at end of workweek
Chemical name	Latvia	Luxembourg	Romania	Slovakia
1,1,2,2-Tetrafluoroethyl-2 ,2,2-trifluoroethyl ether 406-78-0	-	-	5 mg/g Creatinine - urine (Fluorine) - end of shift	-
PROPAN-2-OL 67-63-0	-	-	50 mg/L - urine (Acetone) - end of shift	-
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
67-63-0	25 mg/L - blood (Acetone) - at the end of the work shift 25 mg/L - urine (Acetone) - at the end of the work shift	end of workweek)	25 mg/L (urine - Acetone end of shift) 0.4 mmol/L (urine - Acetone end of shift) 25 mg/L (whole blood - Acetone end of shift) 0.4 mmol/L (whole blood - Acetone end of shift)	-

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
PROPAN-2-OL	-	888 mg/kg bw/day [4] [6]	500 mg/m³ [4] [6]
67-63-0			-

Notes

[4]	Systemic health effects.
[6]	Long term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
PROPAN-2-OL	26 mg/kg bw/day [4] [6]	-	89 mg/m³ [4] [6]
67-63-0			

Notes

[4]	Systemic health effects.
[6]	Long term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater	Marine water	Marine water	Air
		(intermittent release)		(intermittent release)	
1,1,2,2-Tetrafluoroethyl-2, 2,2-trifluoroethyl ether 406-78-0	24 µg/L	0.24 mg/L	2.4 µg/L	24 µg/L	-
PROPAN-2-OL 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
---------------	------------------------	-----------------	------------------	------	------------

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
1,1,2,2-Tetrafluoroethyl-2, 2,2-trifluoroethyl ether 406-78-0	92.6 µg/kg sediment dw	9.26 µg/kg sediment dw	10 mg/L	4.44 μg/kg soil dw	-
PROPAN-2-OL 67-63-0	552 mg/kg sediment dw	552 mg/kg sediment dw	2251 mg/L	28 mg/kg soil dw	160 mg/kg food

8.2. Exposure controls Engineering controls	No information available.
Personal protective equipment Eye/face protection	No special protective equipment required.
Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

PropertyValuesRemarks • MethodMelting point / freezing pointNo data availableNone knownInitial boiling point and boiling range51 °CNone knownFlammabilityNo data availableNot flammableFlammability Limit in AirUpper flammability or explosive9.65% at 60°C (ASTM E681)limitsLower flammability or explosive8.53% at 60°C (ASTM E681)limitsNo data availableDoes not flash, Tag closed cup (ASTM D 56)Autoignition temperatureNo data availablepHNo data availablepHNo data availablepHNo data availablepHNo data availableDynamic viscosityNo data availableWater solubilityNo data availableWater solubilityNo data availablePartition coefficientNo data available	<u>9.1. Information on basic physical a</u> Physical state Colour Odour Odour threshold	Ind chemical properties Liquid colourless Ether. No information available	
Initial boiling point and boiling range51 °CNone knownInitial boiling point and boiling range51 °CNone knownFlammabilityNo data availableNot flammableFlammability Limit in Air9.65% at 60°C (ASTM E681)limitsS.53% at 60°C (ASTM E681)limits8.53% at 60°C (ASTM E681)limitsNo data availableFlash pointNo data availableDecomposition temperatureNo data availablepHNo data availablepH (as aqueous solution)No data availableKinematic viscosityNo data availableDynamic viscosityNo data availableWater solubilityNo data availableWater solubilityNo data available	Property_	Values	Remarks • Method
FlammabilityNo data availableNot flammableFlammability Limit in Air9.65% at 60°C (ASTM E681)Not flammableUpper flammability or explosive limits9.65% at 60°C (ASTM E681)Does not flash, Tag closed cup (ASTM D 56)Lower flammability or explosive limitsNo data availableDoes not flash, Tag closed cup (ASTM D 56)Autoignition temperature pHNo data availableDoes not flash, Tag closed cup (ASTM D 56)Autoignition temperature pHNo data availableDoes not flash, Tag closed cup (ASTM D 56)Kinematic viscosity Dynamic viscosityNo data availableHere is availableWater solubility Solubility(ies)No data availableHere is available			
Flammability Limit in Air Upper flammability or explosive limits9.65% at 60°C (ASTM E681)Lower flammability or explosive limits8.53% at 60°C (ASTM E681)Flash pointNo data availableDoes not flash, Tag closed cup (ASTM D 56)Autoignition temperature pHNo data availableDoes not flash, Tag closed cup (ASTM D 56)pHNo data availableNo data availablepHNo data availableNo data availablepHNo data availableYo data availablepH (as aqueous solution)No data availableKinematic viscosityNo data availableDynamic viscosityNo data availableWater solubilityNo data availableSolubility(ies)No data available			
Upper flammability or explosive limits9.65% at 60°C (ASTM E681)Lower flammability or explosive limits8.53% at 60°C (ASTM E681)Flash pointNo data availableDoes not flash, Tag closed cup (ASTM D 56)Autoignition temperature pHNo data availableDoes not flash, Tag closed cup (ASTM D 56)pHNo data availableDoes not flash, Tag closed cup (ASTM D 56)pHNo data availableDoes not flash, Tag closed cup (ASTM D 56)pHNo data availablepHNo data availableKinematic viscosityNo data availableDynamic viscosityNo data availableWater solubilityNo data availableSolubility(ies)No data available	,	No data available	Not flammable
limits Lower flammability or explosive limits8.53% at 60°C (ASTM E681)Flash pointNo data availableDoes not flash, Tag closed cup (ASTM D 56)Autoignition temperature Decomposition temperature pHNo data availableDoes not flash, Tag closed cup (ASTM D 56)PHNo data availablepHNo data availablepH (as aqueous solution)No data availableKinematic viscosityNo data availableDynamic viscosityNo data availableWater solubilityNo data availableSolubility(ies)No data available	-		
Lower flammability or explosive limits8.53% at 60°C (ASTM E681)Flash pointNo data availableDoes not flash, Tag closed cup (ASTM D 56)Autoignition temperature Decomposition temperature pHNo data availableDoes not flash, Tag closed cup (ASTM D 56)pHNo data availablepHNo data availablepH (as aqueous solution)No data availableKinematic viscosity Dynamic viscosityNo data availableWater solubility Solubility(ies)No data available		9.65% at 60°C (ASTM E681)	
Autoignition temperature No data available Decomposition temperature No data available pH No data available pH (as aqueous solution) No data available Kinematic viscosity No data available Dynamic viscosity No data available Water solubility Solubility(ies) No data available No data available	Lower flammability or explosive	8.53% at 60°C (ASTM E681)	
Decomposition temperaturepHNo data availablepH (as aqueous solution)No data availableKinematic viscosityNo data availableDynamic viscosityNo data availableWater solubilityNo data availableSolubility(ies)No data available	Flash point	No data available	Does not flash, Tag closed cup (ASTM D 56)
pHNo data availablepH (as aqueous solution)No data availableKinematic viscosityNo data availableDynamic viscosityNo data availableWater solubilityNo data availableSolubility(ies)No data available	Autoignition temperature	No data available	
pH (as aqueous solution)No data availableKinematic viscosityNo data availableDynamic viscosityNo data availableWater solubilityNo data availableSolubility(ies)No data available	• •		
Kinematic viscosityNo data availableDynamic viscosityNo data availableWater solubilityNo data availableSolubility(ies)No data available	•		
Dynamic viscosityNo data availableWater solubilityNo data availableSolubility(ies)No data available	,		
Water solubility No data available			
Solubility(ies) No data available		No data avallable	
Vapour pressure218 mmHg @ 25°C	Solubility(ies) Partition coefficient	No data available	

Relative density Bulk density Liquid Density Relative vapour density Particle characteristics	No data available No data available 1.42 No data available
Particle Size Particle Size Distribution	No information available No information available
9.2. Other information Volatility	100%
9.2.1. Information with regards to pl Not applicable	nysical hazard classes

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

<u>10.1. Reactivity</u> Reactivity	No information available.
10.2. Chemical stability Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	None. None.
10.3. Possibility of hazardous reaction Possibility of hazardous reactions	
10.4. Conditions to avoid Conditions to avoid	None known based on information supplied.
10.5. Incompatible materials Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition prod	ducts

Hazardous decomposition products Carbon oxides. Thermal decomposition can lead to release of toxic/corrosive gases and vapours. Hydrogen fluoride.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Information on likely routes of exposure

Product Information

Inhalation	May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristicsSymptomsInhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-vapour) 30.1002 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
PROPAN-2-OL	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat)6 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure Skin corrosion/irritation No information available.

Serious eye damage/eye irritation	No information available.	
Respiratory or skin sensitisation	No information available.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	No information available.	
Reproductive toxicity	No information available.	
STOT - single exposure	May cause drowsiness or dizziness.	
STOT - repeated exposure	No information available.	
Aspiration hazard	No information available.	
11.2. Information on other hazards 11.2.1. Endocrine disrupting prope Endocrine disrupting properties		
11.2.2. Other information Other adverse effects	No information available.	
SECTION 12: Ecological information		

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

	Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
				microorganisms	
ſ	PROPAN-2-OL	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h,	-	EC50: =13299mg/L (48h,
		Desmodesmus	Pimephales promelas)		Daphnia magna)
		subspicatus)	LC50: =11130mg/L (96h,		
		EC50: >1000mg/L (72h,	Pimephales promelas)		
		Desmodesmus	LC50: >1400000µg/L		
		subspicatus)	(96h, Lepomis		
			macrochirus)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient	
PROPAN-2-OL	0.05	

12.4. Mobility in soil

Mobility in soilNo information available.

12.5. Results of PBT and vPvB assessment PBT and vPvB assessment The pro-

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
PROPAN-2-OL	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

SECTION 14: Transport information

Notes	The product is not covered by international regulations on the transport of dangerous
	goods (IMDG, IATA, DOT).
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not applicable
14.4 Packing group	Not applicable

14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	Not applicable
	The product is not severed by international regulations on the transport of depression
Notes	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).
 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user 14.7 Maritime transport in bulk according to IMO instruments 	Not regulated Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
ADR 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	Not regulated Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	
PROPAN-2-OL - 67-63-0	RG 84	

Germany

Water hazard class (WGK)

non-hazardous to water (nwg)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
PROPAN-2-OL - 67-63-0	75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

STEL (Short Term Exposure Limit)

Skin designation

Not applicable

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
PROPAN-2-OL - 67-63-0	Product-type 2: Disinfectants and algaecides not intended
	for direct application to humans or animals Product-type 4:
	Food and feed area Product-type 1: Human hygiene

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL
Ceiling	Maximum limit value	Sk*
+	Sensitisers	

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	On basis of test data
Acute dermal toxicity	On basis of test data
Acute inhalation toxicity - gas	On basis of test data
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	On basis of test data
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	On basis of test data
Reproductive toxicity	Calculation method
STOT - single exposure	On basis of test data
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC) European Chemicals Agency (ECHA) (ECHA_API) **Environmental Protection Agency** Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fundicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date

04/01/2024

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet